

# Minebea Intec IF Series

Stainless Steel Platform Scale

## Specifications

---

**Ingress Protection Rating:**  
IP68

**Load Cells:**  
Four hermetically sealed IP68

**Cable Length:**  
6 m (19.7 ft)

**Platform Height:**  
GG, IG, II, LG - 25 mm  
LI, LL, NL ≤ 1000 kg = 25 m  
1500 kg = 35 mm  
3000 kg = 45 mm  
RN ≤ 600 kg = 25 m  
1000 kg = 35 mm  
≥ 1500 kg = 45 mm  
RR, WR ≤ 600 kg = 35 mm  
≥ 1000 kg = 45 mm

**Regulatory Compliance:**  
HACCP, FDA, Class 10,000 clean rooms  
(US Federal Standard 209D)

**Warranty:**  
Two-year limited warranty



## Standard Features

---

- Each IF Series stainless steel platform is built with an IP68 protection rating
- Capacities from 330 lb to 6,614 lb with resolutions up to 30,000 d
- Various portability options utilizing the unique MoveLine weighing platform
- Pressure lift option
- Ultra low profile: standard platform height
- Material/surface finish: 304 bead-blasted stainless steel
- Drive-on ramp included with every platform
- No pit required
- Convenient for application-oriented weighing systems from processing to the chemical industry
- All units built for easy cleaning and disinfection to meet HACCP and FDA requirements for the food/pharmaceutical industries

## Optional Configurations

---

- L6: IP69K kit
- T4: Stop bar
- T9: Bottom plate
- T5: Towing bar
- T6: Two handles, two rollers
- T13: Four handles
- T14: Integrated column
- T15: 2nd ramp

## Applications

---

- Pharmaceutical, chemical, electronics, food processing, precious metals, metal production and processing

# Minebea Intec IF Series

Stainless Steel Platforms

PRECISION INDUSTRIAL WEIGHING

www.ricelake.com | Phone: 800-472-6703

RICELAKE

860

## Part Number/Price

RLWS PN	Minebea PN	Weighing Surface Dimensions	# Load Cells	Capacity	Readability	Capacity	Readability	Est. Weight	Price
101266	IFS4-150GG	23.6 x 23.6 in	4	330 lb	0.01	150 kg	0.005	198 lb	Consult
101267	IFS4-300GG	23.6 x 23.6 in	4	660 lb	0.02	300 kg	0.01	198 lb	Consult
101268	IFS4-600GG	23.6 x 23.6 in	4	1320 lb	0.05	600 kg	0.02	198 lb	Consult
101269	IFS4-1000GG	23.6 x 23.6 in	4	2200 lb	0.1	1000 kg	0.05	198 lb	Consult
101270	IFS4-150IG	31.5 x 23.6 in	4	330 lb	0.01	150 kg	0.005	221 lb	Consult
101274	IFS4-300IG	31.5 x 23.6 in	4	660 lb	0.02	300 kg	0.01	221 lb	Consult
101275	IFS4-600IG	31.5 x 23.6 in	4	1320 lb	0.05	600 kg	0.02	221 lb	Consult
101279	IFS4-1000IG	31.5 x 23.6 in	4	2200 lb	0.1	1000 kg	0.05	221 lb	Consult
101281	IFS4-150II	31.5 x 31.5 in	4	330 lb	0.01	150 kg	0.005	243 lb	Consult
101282	IFS4-300II	31.5 x 31.5 in	4	660 lb	0.02	300 kg	0.01	243 lb	Consult
101283	IFS4-600I	31.5 x 31.5 in	4	1320 lb	0.05	600 kg	0.02	243 lb	Consult
101284	IFS4-1000II	31.5 x 31.5 in	4	2200 lb	0.1	1000 kg	0.05	243 lb	Consult
101285	IFS4-1500II	31.5 x 31.5 in	4	3300 lb	0.1	1500 kg	0.05	243 lb	Consult
101286	IFS4-150LG	39.4 x 23.6 in	4	330 lb	0.01	150 kg	0.005	243 lb	Consult
101287	IFS4-300LG	39.4 x 23.6 in	4	660 lb	0.02	300 kg	0.01	243 lb	Consult
101288	IFS4-600LG	39.4 x 23.6 in	4	1320 lb	0.05	600 kg	0.02	243 lb	Consult
101289	IFS4-1000LG	39.4 x 23.6 in	4	2200 lb	0.1	1000 kg	0.05	243 lb	Consult
101290	IFS4-1500LG	39.4 x 23.6 in	4	3300 lb	0.1	1500 kg	0.05	243 lb	Consult
101291	IFS4-150LI	39.4 x 31.5 in	4	330 lb	0.01	150 kg	0.005	265 lb	Consult
101293	IFS4-300LI	39.4 x 31.5 in	4	660 lb	0.02	300 kg	0.01	265 lb	Consult
101294	IFS4-600LI	39.4 x 31.5 in	4	1320 lb	0.05	600 kg	0.02	265 lb	Consult
101295	IFS4-1000LI	39.4 x 31.5 in	4	2200 lb	0.1	1000 kg	0.05	265 lb	Consult
101296	IFS4-1500LI	39.4 x 31.5 in	4	3300 lb	0.1	1500 kg	0.05	265 lb	Consult
101304	IFS4-150LL	39.4 x 39.4 in	4	330 lb	0.01	150 kg	0.005	375 lb	Consult
101305	IFS4-300LL	39.4 x 39.4 in	4	660 lb	0.02	300 kg	0.01	375 lb	Consult
101306	IFS4-600LL	39.4 x 39.4 in	4	1320 lb	0.05	600 kg	0.02	375 lb	Consult
101307	IFS4-1000LL	39.4 x 39.4 in	4	2200 lb	0.1	1000 kg	0.05	375 lb	Consult
101308	IFS4-1500LL	39.4 x 39.4 in	4	3300 lb	0.1	1500 kg	0.05	375 lb	Consult
101309	IFS4-3000LL	39.4 x 39.4 in	4	6600 lb	0.2	3000 kg	0.1	375 lb	Consult
101310	IFS4-150NL	49.2 x 39.4 in	4	330 lb	0.01	150 kg	0.005	397 lb	Consult
101311	IFS4-300NL	49.2 x 39.4 in	4	660 lb	0.02	300 kg	0.01	397 lb	Consult
101312	IFS4-600NL	49.2 x 39.4 in	4	1320 lb	0.05	600 kg	0.02	397 lb	Consult
101313	IFS4-1000NL	49.2 x 39.4 in	4	2200 lb	0.1	1000 kg	0.05	397 lb	Consult
101314	IFS4-1500NL	49.2 x 39.4 in	4	3300 lb	0.1	1500 kg	0.05	397 lb	Consult
101315	IFS4-3000NL	49.2 x 39.4 in	4	6600 lb	0.2	3000 kg	0.1	397 lb	Consult
101317	IFS4-150NN	49.2 x 49.2 in	4	330 lb	0.01	150 kg	0.005	481 lb	Consult
101318	IFS4-300NN	49.2 x 49.2 in	4	660 lb	0.02	300 kg	0.01	481 lb	Consult
101319	IFS4-600NN	49.2 x 49.2 in	4	1320 lb	0.05	600 kg	0.02	481 lb	Consult
101320	IFS4-1000NN	49.2 x 49.2 in	4	2200 lb	0.1	1000 kg	0.05	481 lb	Consult
101321	IFS4-1500NN	49.2 x 49.2 in	4	3300 lb	0.1	1500 kg	0.05	481 lb	Consult
101322	IFS4-3000NN	49.2 x 49.2 in	4	6600 lb	0.2	3000 kg	0.1	481 lb	Consult
101323	IFS4-150RN	59.1 x 49.2 in	4	330 lb	0.01	150 kg	0.005	547 lb	Consult
101324	IFS4-300RN	59.1 x 49.2 in	4	660 lb	0.02	300 kg	0.01	547 lb	Consult
101325	IFS4-600RN	59.1 x 49.2 in	4	1320 lb	0.05	600 kg	0.02	547 lb	Consult
101326	IFS4-1000RN	59.1 x 49.2 in	4	2200 lb	0.1	1000 kg	0.05	547 lb	Consult
101327	IFS4-1500RN	59.1 x 49.2 in	4	3300 lb	0.1	1500 kg	0.05	547 lb	Consult

# Minebea Intec IF Series

Stainless Steel Platforms

## Part Number/Price

RLWS PN	Minebea PN	Weighing Surface Dimensions	# Load Cells	Capacity	Readability	Capacity	Readability	Est. Weight	Price
101328	IFS4-3000RN	59.1 x 49.2 in	4	6600 lb	0.2	3000 kg	0.1	628 lb	Consult
101329	IFS4-150RR	59.1 x 59.1 in	4	330 lb	0.01	150 kg	0.005	628 lb	Consult
101330	IFS4-300RR	59.1 x 59.1 in	4	660 lb	0.02	300 kg	0.01	628 lb	Consult
101331	IFS4-600RR	59.1 x 59.1 in	4	1320 lb	0.05	600 kg	0.02	628 lb	Consult
101332	IFS4-1000RR	59.1 x 59.1 in	4	2200 lb	0.1	1000 kg	0.05	628 lb	Consult
101333	IFS4-1500RR	59.1 x 59.1 in	4	3300 lb	0.1	1500 kg	0.05	628 lb	Consult
101334	IFS4-3000RR	59.1 x 59.1 in	4	6600 lb	0.2	3000 kg	0.1	739 lb	Consult
101335	IFS4-150WR	78.7 x 59.1 in	4	330 lb	0.01	150 kg	0.005	739 lb	Consult
101337	IFS4-300WR	78.7 x 59.1 in	4	660 lb	0.02	300 kg	0.01	739 lb	Consult
101338	IFS4-600WR	78.7 x 59.1 in	4	1320 lb	0.05	600 kg	0.02	739 lb	Consult
101339	IFS4-1000WR	78.7 x 59.1 in	4	2200 lb	0.1	1000 kg	0.05	739 lb	Consult
101340	IFS4-1500WR	78.7 x 59.1 in	4	3300 lb	0.1	1500 kg	0.05	739 lb	Consult
101341	IFS4-3000WR	78.7 x 59.1 in	4	6600 lb	0.2	3000 kg	0.1	739 lb	Consult

## Options/Accessories

Part #	Description	Price
T4	Stop bar	Consult
T5	Tow bar and Stop bar	Consult
T6	2 handles and 2 rollers	Consult
T7	Retractable wheels	Consult
T9	Bottom plate	Consult
<b>Steel</b>		
R2	316 T1 stainless steel	Consult
R6	304 2b stainless steel	Consult

PRECISION INDUSTRIAL WEIGHING

www.ricelake.com | Phone: 800-472-6703

**RICE LAKE**