



800-472-6703 **www.ricelake.com** HP, HP-H, SS AND HE SERIES FLOOR SCALES

RoughDeck[®] is Simply the TOUGHEST, Most Accurate Floor Scale Available.

Harsh environments and demanding capacities are no match for the industry's toughest floor scale. RoughDeck lives up to its name with superior structural design, specialized footing, and durable load cell and cable protection. RoughDeck's design separates it from other floor scales by minimizing deck deflection and extraneous forces that could damage load cells. Standard or customized, the RoughDeck series is available in low-profile stationary and portable versions, and offers component interchangeability and alternative construction materials to meet specific industrial requirements—from basic shipping and receiving to highly corrosive or washdown environments.

TuffSeal Junction Box Protects Circuitru

Included with all models, the rugged, stainless steel TuffSeal junction boxes are specifically designed to protect sensitive circuitry. Its unique closure design pre-



vents moisture access and a Gore breather vent helps equalize the pressure inside the enclosure which can be caused by sudden temperature or environmental changes.

Load Cell Mounting Plate

Localized deflection of the load cell is minimized by welding the mounting plate to the channel frame rather than the deck plate.




Vertical Plasicity Lateral Plasticity

SUREFOOT For Accuracy


SUREFOOT decreases extraneous forces on the load cell, resulting in superior accuracy and repeatability. A stainless steel cup sits on the floor and is bonded by a pliable neoprene cushion to a stainless steel top plate with attached threaded stem, allowing the stem

and top plate to move laterally and tilt independently of the bottom stainless steel cup.

GORE, GORE-TEX and design are registered trademarks of W.L. Gore & Associates, Inc.



The RoughDeck design minimizes deflection of the deck and feet for greater accuracy and repeatability with every weighment.



LOAD

Load cells are recessed within the channels, and conduit lies within the channels to deter rodent damage and help protect

components from rough handling.

IT DOESN'T GET ANY TOUGHER THAN THIS



RoughDeck*







HP and	HP-H
--------	------

SS

HE

Standard	l Features
and Opti	ons

For non washdown environments

Mild Steel

For corrosive, dry chemical environments

304 Stainless Steel

For harsh chemical or washdown environments

304 Stainless Steel

Construction:		
Deck/Top Plate:		

Diamond tred	ad	
Smooth		
-		

Standard	Optional	Optional
Optional	Standard	Standard

Load Cells:

Factory Mutual-approved
Alloy steel, nickel-plated
Stainless steel
Stainless steel, welded seal, IP67
Stainless steel, hermetically sealed, IP66/68

Standard	Standard	Standard
Standard	_	_
Optional	Standard	Optional
Optional	Optional	Standard
Optional	Optional	Optional

Junction Box:

Internal mount, side access	
Remote mount	
Internal mount, top access	

Standard	Standard	Optional
Optional	Optional	Standard
Optional	Optional	Optional

Miscellaneous:

4 adjustable stainless steel SUREFOOT™ support feet
20' EL147HE Hostile Environment Load Cell Cable
Threaded eyebolt holes for lifting
Custom sizes
Top access foot adjustment holes
Epoxy paint

Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Optional	Optional	Optional
Optional	Optional	Optional

Approvals:



HP: AM-4827, HP-H: AM-5284 (Only capacities greater than 10,000 kg)

NTEP CC 92-001

NTEP CC 92-001	NTEP CC 92-001
AM-4827, AM-5301	_



Measurement Canada

Standard Standard

Standard

RoughDeck

HP, HP-H, SS AND HE SERIES FLOOR SCALES

Any Application, Any Demand.

From 2' x 2' to 8' x 10', 500 lb to 30,000 lb, Rice Lake has a floor scale for any application and any demand. Need something custom-made? Rice Lake can build a RoughDeck in any size, any shape and any capacity.

OPTIONS

Installation options, whether in mild or stainless steel, add versatility to your RoughDeck.

- · Digital weight indicators
- · Indicator floor stand
- · Floor anchor plates
- · Pit frame
- · Access ramps
- · Bumper guards
- · Portability frames

All installation options are available in mild or stainless steel.

Above Ground Access Ramp Access







230 West Coleman Street Rice Lake, Wisconsin 54868 - USA Tel: (715) 234 9171 | Fax: (715) 234 6967 www.ricelake.com